Index to Volume 35, 2006

Author Index*

A

Adenwalla HN (*see* Usman et al). 2006;35:423-426
Altaf M (*see* Usman et al). 2006;35:423-426
Altekin RE (*see* Basarici et al). 2006;35:351-354
Andenæs R, Kalfoss MH, Wahl AK. Coping and psychological distress in hospitalized patients with chronic obstructive pulmonary disease. 2006; 35:46-57
Armaganidis A (*see* Kopterides et al). 2006;35:66-67
Astin F, Jones K. Changes in patients' illness representations before and after elective percutaneous transluminal coronary angioplasty. 2006;35:293-300
Authur HM. Letter to the editor. 2006;35:214

B

Baqir M (*see* Usman et al). 2006;35:423-426
Barnason S, Zimmerman L, Nieveen J, Hertzog M. Impact of a telehealth intervention to augment home health care on functional and recovery outcomes of elderly patients undergoing coronary artery bypass grafting. 2006;35:225-233
Basarici İ, Demir İ, Yilmaz H, Altekin RE. Obstructive metastatic malignant melanoma of the heart: Imminent pulmonary arterial occlusion caused by right ventricular metastasis with unknown origin of the primary tumor. 2006;35:351-354
Berger S (*see* Usman et al). 2006;35:423-426
Bertomeu V, Cabadés A, Morillas P, Cebrián J, Colomina F, Valencia J, Frutos A, Sanjuán R, Ruiz-Nodar JM, González-Hernández E. Clinical course of acute myocardial infarction in the hypertensive patient in Eastern Spain: The PRIMVAC registry. 2006;35:20-26
Binnekade JM, Vroom MB, de Vos R, de Haan RJ. The reliability and validity of a new and simple method to measure sedation levels in intensive care patients: A pilot study. 2006;35:137-143
Boden WE (*see* Deaton et al). 2006;35:315-323
Bouyarden M (*see* Cunha et al). 2006;35:358-362
Brander L, Takala J. Tracheal tear and tension pneumothorax complicating bronchoscopy-guided percutaneous tracheostomy. 2006;35:144-145
Brearley WD Jr, Taylor L III, Littmann L. Acute myocardial infarction with precordial ST segment elevation: Where is the culprit? 2006;35:427-429
Brom H (*see* Frazier et al). 2006;35:363-373
Brun A (*see* Ninot et al). 2006;35:130-136

C

Cabadés A (*see* Bertomeu et al). 2006;35:20-26
Ceballos RM (*see* Corwin et al). 2006;35:119-129
Cebrián J (*see* Bertomeu et al). 2006;35:20-26
Cercal M (*see* Sadala et al). 2006;35:190-197
Cheng HCW (*see* Jones et al). 2006;35:397-404
Cherayil M (*see* Usman et al). 2006;35:423-426
Clark AP (*see* Foster and Clark). 2006;35:178-189
Colomina F (*see* Bertomeu et al). 2006;35:20-26
Conti IB (*see* Kuhl et al). 2006;35:374-382
Corwin EJ, McCoy CS, Whetzel CA, Ceballos RM, Klein LC. Risk indicators of metabolic syndrome in young adults: A preliminary investigation on the influence of tobacco smoke exposure and gender. 2006;35:119-129
Costello J (*see* Neto et al). 2006;35:198-204
Cunha BA (*see* Hamid et al). 2006;35:434-437
Cunha BA, Bouyarden M, Hamid NS. Fever of unknown origin (FUO) caused by multiple myeloma: The diagnostic value of the Naprosyn test. 2006;35:358-362
Cunha BA, Eisenstein LE, Hamid NS. Pacemaker-induced *Staphylococcus aureus* mitral valve acute bacterial endocarditis complicated by persistent bacteremia from a coronary stent: Cure with prolonged/high-dose daptomycin without toxicity. 2006;35:207-211
Cunha BA, Hamid N, Krol V, Eisenstein L. Fever of unknown origin due to preleukemia/myelodysplastic syndrome: The diagnostic importance of monocytosis with elevated serum ferritin levels. 2006;35:277-282
Cunha BA, Parchuri S, Mohan S. Fever of unknown origin: Temporal arteritis presenting with persistent cough and elevated serum ferritin levels. 2006;35:112-116
Cunha BA, Syed U, Hamid N. Fever of unknown origin caused by late-onset rheumatoid arthritis. 2006;35:70-73
Curry DM (*see* Friesner et al). 2006;35:269-276

D

Dahal R (*see* Limbu et al). 2006;35:164-169
Davies A (*see* Savian et al). 2006;35:334-341
Davis LL (*see* MacMillan et al). 2006;35:383-390
Dean E (*see* Jones et al). 2006;35:397-404
Deaton C, Kimble LP, Veledar E, Hartigan P, Boden WE, O'Rourke RA, Weintraub WS. The synergistic effect of heart disease and diabetes on self-management, symptoms, and health status. 2006;35:315-323
de Haan RJ (*see* Binnekade et al). 2006;35:137-143
DeKeyser Ganz F. Musgrave CF. Israeli critical care nurses' attitudes toward physician-assisted dying. 2006;35:412-422
Demir İ (*see* Basarici et al). 2006;35:351-354
de Vos R (*see* Binnekade et al). 2006;35:137-143
Doherty GS (*see* Parshall and Doherty). 2006;35:342-350
Durham CF (*see* MacMillan et al). 2006;35:383-390

E

Eastwood GM. Evaluating the reliability of recorded fluid balance to approximate body weight change in patients undergoing cardiac surgery. 2006;35:27-33
Edéll-Gustafsson U, Svanborg E, Swahn E. A gender perspective on sleeplessness behavior, effects of sleep loss, and coping resources in patients with stable coronary artery disease. 2006;35:75-89
Eisenstein L (*see* Cunha et al). 2006;35:277-282
Eisenstein LE (*see* Cunha et al). 2006;35:207-211
El-Dokla AM (*see* Khouzam et al). 2006;35:108-111
Elliott D, Lazarus R, Leeder SR. Health outcomes of patients undergoing cardiac surgery: Repeated measures using Short Form-36 and 15 Dimensions of Quality of Life questionnaire. 2006;35:245-251
Enslin A. (*see* Rockmann et al). 2006;35:68-69

F

Fortes M (*see* Ninot et al). 2006;35:130-136
Foster JGW, Clark AP. Functional recovery after neuromuscular blockade in mechanically ventilated critically ill patients. 2006;35:178-189
Frazier SK, Brom H, Widener J, Pender L, Stone KS, Moser DK. Prevalence of myocardial ischemia during mechanical ventilation and weaning and its effects on weaning success. 2006;35:363-373
Friesner SA, Curry DM, Moddeman GR. Comparison of two pain-management strategies during chest tube removal: Relaxation exercise with opioids and opioids alone. 2006;35:269-276
Frutos A (*see* Bertomeu et al). 2006;35:20-26

G

Gartaula RP (*see* Limbu et al). 2006;35:164-169
Gary R. Self-care practices in women with diastolic heart failure. 2006;35:9-19
González-Hernández E (*see* Bertomeu et al). 2006;35:20-26
Gowardman J (*see* Mitchell et al). 2006;35:430-433
Gursel G. Does coexistence with bronchiectasis influence intensive care unit outcome in patients with chronic obstructive pulmonary disease? 2006;35:58-65

*January/February, pp. 1-74; March/April, pp. 75-146; May/June, pp. 147-216; July/August, pp. 217-292; September/October, pp. 293-362; November/December, pp. 363-448.

H

Hamid N (*see* Cunha et al). 2006;35:70-73
Hamid N (*see* Cunha et al). 2006;35:277-282
Hamid NS (*see* Cunha et al). 2006;35:207-211
Hamid NS (*see* Cunha et al). 2006;35:358-362
Hamid NS, Spadafora PF, Khalife ME, Cunha BA. Pseudosepsis: Rectus sheath hematoma mimicking septic shock. 2006;35:434-437
Hanestad BR (*see* Ulvik et al). 2006;35:90-100
Hartigan P (*see* Deaton et al). 2006;35:315-323
Hertzog M (*see* Barnason et al). 2006;35:225-233

I

Iaarsma T (*see* Luttik et al). 2006;35:3-8
Jones AYM, Yu W-C, Mok N-S, Yeung OYY, Cheng HCW, Dean E. Exercise-induced desaturation and electrocardiogram changes in people with severe lung disease: An exploratory investigation of 25 serial cases. 2006;35:397-404
Jones K (*see* Astin and Jones). 2006;35:293-300

K

Kalfoss MH (*see* Andenæs et al). 2006;35:46-57
Kang Y. Relation of atrial arrhythmia-related symptoms to health-related quality of life in patients with newly diagnosed atrial fibrillation: A community hospital-based cohort. 2006;35:170-177
Khalife ME (*see* Hamid et al). 2006;35:434-437
Khouzam RN, El-Dokla AM, Menkes DL. Undiagnosed patent foramen ovale presenting as a cryptogenic brain abscess: Case report and review of the literature. 2006;35:108-111
Kimble LP (*see* Deaton et al). 2006;35:315-323
Klein LC (*see* Corwin et al). 2006;35:119-129
Kopterides P, Lignos M, Papanikolaou S, Papadomichelakis E, Mentzelopoulos S, Armaganidis A, Panou F. Pleural effusion causing cardiac tamponade: Report of two cases and review of the literature. 2006;35:66-67
Krol V (*see* Cunha et al). 2006;35:277-282
Kuhl EA, Sears SF, Conti JB. Internet-based behavioral change and psychosocial care for patients with cardiovascular disease: A review of cardiac disease-specific applications. 2006;35:374-382
Kusahara DM (*see* Peterlini et al). 2006;35:391-396

L

Lawoko S, Soares JJF. Psychosocial morbidity among parents of children with congenital heart disease: A prospective longitudinal study. 2006;35:301-314
Lazarus R (*see* Elliott et al). 2006;35:245-251
Lee DTF (*see* Lee et al). 2006;35:324-333
Lee IFK, Lee DTF, MacKenzie AE. Correlates of functional limitations in older Chinese patients with chronic obstructive pulmonary disease in Hong Kong. 2006;35:324-333
Leeder SR (*see* Elliott et al). 2006;35:245-251
Leidy NK (*see* Miller-Davis et al). 2006;35:217-224
Leonardi M (*see* Varriale and Leonardi). 2006;35:283-289
Lignos M (*see* Kopterides et al). 2006;35:66-67
Limbu YR, Malla R, Regmi SR, Dahal R, Nakarmi HL, Yonzan G, Gartaula RP. Public knowledge of heart attack in a Nepalese population survey. 2006;35:164-169
Lipman I (*see* Paratz and Lipman). 2006;35:262-268
Littmann L (*see* Brearley et al). 2006;35:427-429
Lorençon M (*see* Sadala et al). 2006;35:190-197
Luttik ML, Iaarsma T, Veeger N, van Veldhuisen DJ. Marital status, quality of life, and clinical outcome in patients with heart failure. 2006;35:3-8

M

MacKenzie AE (*see* Lee et al). 2006;35:324-333
MacMillan IS, Davis LL, Durham CF, Matteson ES. Exercise and heart rate recovery. 2006;35:383-390
Malla R (*see* Limbu et al). 2006;35:164-169
Marden S (*see* Miller-Davis et al). 2006;35:217-224
Marinella MA. When brown and blue make red: A case of acquired methemoglobinemia. 2006;35:205-206
Matteson ES (*see* MacMillan et al). 2006;35:383-390
McCormick KM, Naimark BJ, Tate RB. Uncertainty, symptom distress, anxiety, and functional status in patients awaiting coronary artery bypass surgery. 2006;35:34-45
McCoy CS (*see* Corwin et al). 2006;35:119-129
McKenzie T (*see* Mitchell et al). 2006;35:430-433
Menkes DL (*see* Khouzam et al). 2006;35:108-111
Mentzelopoulos S (*see* Kopterides et al). 2006;35:66-67
Michaels C. Content validity and the language of breathing. 2006;35:405-411
Miller-Davis C, Marden S, Leidy NK. The New York Heart Association Classes and functional status: What are we really measuring? 2006;35:217-224
Mitchell I, McKenzie T, Gowardman J, Nikolić G. Transient arrhythmogenic right ventricular dysplasia. 2006;35:430-433
Mitchell I, Nikolić G. Peaked waves after head injury. 2006;35:117-118
Moddeman GR (*see* Friesner et al). 2006;35:269-276
Mohan S (*see* Cunha et al). 2006;35:112-116
Mok N-S (*see* Jones et al). 2006;35:397-404
Morillas P (*see* Bertomeu et al). 2006;35:20-26
Moser DK (*see* Frazier et al). 2006;35:363-373
Musgrave CF (*see* DeKeyser Ganz and Musgrave). 2006;35:412-422

N

Naimark BJ (*see* McCormick et al). 2006;35:34-45
Nakarmi HL (*see* Limbu et al). 2006;35:164-169
Neto C, Shalof T, Costello J. Critical care nurses' responses to patient photographs displayed at the bedside. 2006;35:198-204
Nieveen J (*see* Barnason et al). 2006;35:225-233
Nikolić G. Isolated atrial infarction. 2006;35:212-213
Nikolić G (*see* Mitchell and Nikolić). 2006;35:117-118
Nikolić G (*see* Mitchell et al). 2006;35:430-433
Nikolić G (*see* Rockmann et al). 2006;35:68-69
Ninot G, Fortes M, Poulain M, Brun A, Préfaut C, Varray A. Gender difference in coping strategies among patients enrolled in an inpatient rehabilitation program. 2006;35:130-136
Nygård OK (*see* Ulvik et al). 2006;35:90-100

O

Okkonen E, Vanhanen H. Family support, living alone, and subjective health of a patient in connection with a coronary artery bypass surgery. 2006;35:234-244
Omenaas E (*see* Ulvik et al). 2006;35:90-100
O'Rourke RA (*see* Deaton et al). 2006;35:315-323

P

Panou F (*see* Kopterides et al). 2006;35:66-67
Papadomichelakis E (*see* Kopterides et al). 2006;35:66-67
Papanikolaou S (*see* Kopterides et al). 2006;35:66-67
Paratz I, Lipman J. Manual hyperinflation causes norepinephrine release. 2006;35:262-268
Paratz J (*see* Savian et al). 2006;35:334-341
Parchuri S (*see* Cunha et al). 2006;35:112-116
Parshall MB, Doherty GS. Predictors of emergency department visit disposition for patients with chronic obstructive pulmonary disease. 2006;35:342-350
Pedreira MLG (*see* Peterlini et al). 2006;35:391-396
Pender L (*see* Frazier et al). 2006;35:363-373
Peterlini MAS, Rocha PK, Kusahara DM, Pedreira MLG. Subjective assessment of backrest elevation: Magnitude of error. 2006;35:391-396
Poulain M (*see* Ninot et al). 2006;35:130-136
Préfaut C (*see* Ninot et al). 2006;35:130-136

R

Rahman F (*see* Usman et al). 2006;35:423-426
Redeker NS, Stein S. Characteristics of sleep in patients with stable heart failure versus a comparison group. 2006;35:252-261
Regmi SR (*see* Limbu et al). 2006;35:164-169
Rice VH. Nursing intervention and smoking cessation: Meta-analysis update. 2006;35:147-163
Rocha PK (*see* Peterlini et al). 2006;35:391-396
Rockmann F, Enslin A, Nikolić G. A new face of Wenckebach. 2006;35:68-69
Ruiz-Nodar JM (*see* Bertomeu et al). 2006;35:20-26

S

Sadala MLA, Lorençon M, Cercal M, Schelp A. Caring for organ donors: the intensive care unit physicians' view. 2006;35:190-197
Sanjuán R (*see* Bertomeu et al). 2006;35:20-26
Savian C, Paratz J, Davies A. Comparison of the effectiveness of manual and ventilator hyperinflation at different levels of positive end-expiratory pressure in artificially ventilated and intubated intensive care patients. 2006;35:334-341
Sawar A, Schocken DD. Cardiac tamponade complicating trimodal therapy for malignant mesothelioma. 2006;35:355-357
Schelp A (*see* Sadala et al). 2006;35:190-197
Schocken DD (*see* Sawar and Schocken). 2006;35:355-357
Sears SF (*see* Kuhl et al). 2006;35:374-382
Shah MA (*see* Usman et al). 2006;35:423-426
Shalof T (*see* Neto et al). 2006;35:198-204
Soares IIF (*see* Lawoko and Soares). 2006;35:301-314
Spadafora PF (*see* Hamid et al). 2006;35:434-437
Stein S (*see* Redeker and Stein). 2006;35:252-261
Stone KS (*see* Frazier et al). 2006;35:363-373
Svanborg E (*see* Edéll-Gustafsson et al). 2006;35:75-89
Swahn E (*see* Edéll-Gustafsson et al). 2006;35:75-89
Syed U (*see* Cunha et al). 2006;35:70-73

T

Takala J (*see* Brander and Takala). 2006;35:144-145
Tate RB (*see* McCormick et al). 2006;35:34-45
Taylor L III (*see* Brearley et al). 2006;35:427-429
Tel H (*see* Tel and Tel). 2006;35:101-107
Tel H, Tel H. The effect of individualized education on the transfer anxiety of patients with myocardial infarction and their families. 2006;35:101-107

U

ul-Islam T (*see* Usman et al). 2006;35:423-426
Ulvik B, Wentzel-Larsen T, Hanestad BR, Omenaas E, Nygård OK. Relationship between provider-based measures of physical function and self-reported health-related quality of life in patients admitted for elective coronary angiography. 2006;35:90-100
Usman MHU, Shah MA, ul-Islam T, Adenwalla HN, Rahman F, Baqir M, Altaf M, Venkataraman R, Cherayil M, Berger S. Abciximab and fatal pulmonary hemorrhage. 2006;35:423-426

V

Valencia I (*see* Bertomeu et al). 2006;35:20-26
Vanhanen H (*see* Okkonen and Vanhanen). 2006;35:234-244
van Veldhuisen DJ (*see* Luttik et al). 2006;35:3-8
Varray A (*see* Ninot et al). 2006;35:130-136
Varriale P, Leonardi M. Polymorphic ventricular tachycardia in the coronary care unit. 2006;35:283-289
Veeger N (*see* Luttik et al). 2006;35:3-8
Veledar E, (*see* Deaton et al). 2006;35:315-323
Venkataraman R (*see* Usman et al). 2006;35:423-426
Vroom MB (*see* Binnekade et al). 2006;35:137-143

W

Wahl AK (*see* Andenæs et al). 2006;35:46-57
Weintraub WS (*see* Deaton et al). 2006;35:315-323
Wentzel-Larsen T (*see* Ulvik et al). 2006;35:90-100
Whetzel CA (*see* Corwin et al). 2006;35:119-129
Widener J (*see* Frazier et al). 2006;35:363-373

Y

Yeung OYY (*see* Jones et al). 2006;35:397-404
Yilmaz H (*see* Basarici et al). 2006;35:351-354
Yonzan G (*see* Limbu et al). 2006;35:164-169
Yu W-C (*see* Jones et al). 2006;35:397-404

Z

Zimmerman L (*see* Barnason et al). 2006;35:225-233

Subject Index

A

Abciximab; *see* **Antibodies, monoclonal; Immunoglobulin fab fragments**

Activities of daily living
Family support, living alone, and subjective health of a patient in connection with a coronary artery bypass surgery (Okkonen and Vanhanen). 2006;35:234-44

Adaptation, psychological
Coping and psychological distress in hospitalized patients with chronic obstructive pulmonary disease (Andenæs et al). 2006;35:46-57
Gender difference in coping strategies among patients enrolled in an inpatient rehabilitation program (Ninot et al). 2006;35:130-6
A gender perspective on sleeplessness behavior, effects of sleep loss, and coping resources in patients with stable coronary artery disease (Edéll-Gustafsson et al). 2006;35:75-89

Adult
Nursing intervention and smoking cessation: meta-analysis update (Rice). 2006;35:147-63

Aged
Impact of a telehealth intervention to augment home health care on functional and recovery outcomes of elderly patients undergoing coronary artery bypass grafting (Barnason et al). 2006;35:225-33

Angioplasty, transluminal, percutaneous coronary
Abciximab and fatal pulmonary hemorrhage (Usman et al). 2006;35:423-6
Changes in patients' illness representations before and after elective percutaneous transluminal coronary angioplasty (Astin and Jones). 2006;35:293-300

Antibodies, antineutrophil cytoplasmic
Fever of unknown origin caused by late-onset rheumatoid arthritis (Cunha et al). 2006;35:70-3

Antibodies, monoclonal
Abciximab and fatal pulmonary hemorrhage (Usman et al). 2006;35:423-6

Anxiety
The effect of individualized education on the transfer anxiety of patients with myocardial infarction and their families (Tel and Tel). 2006;35:101-7
Uncertainty, symptom distress, anxiety, and functional status in patients awaiting coronary artery bypass surgery (McCormick et al). 2006;35:34-45

Arrhythmogenic right ventricular dysplasia
Transient arrhythmogenic right ventricular dysplasia (Mitchell et al). 2006;35:430-3

Atrial fibrillation
Clinical course of acute myocardial infarction in hypertensive patient in Eastern Spain: the PRIMVAC registry (Bertomeu et al). 2006;35:20-6
Relation of atrial arrhythmia-related symptoms to health-related quality of life in patients with newly diagnosed atrial fibrillation: a community hospital-based cohort (Kang). 2006;35:170-7

Atrioventricular node
A new face of Wenckebach (Rockmann et al). 2006;35:68-9

Attitude of health personnel
Critical care nurses' responses to patient photographs displayed at the bedside (Neto et al). 2006;35:198-204
Israeli critical care nurses' attitudes toward physician-assisted dying (Ganz and Musgrave). 2006;35:412-22

B

Bacteremia
Pacemaker-induced *Staphylococcus aureus* mitral valve acute bacterial endocarditis complicated by persistent bacteremia from a coronary stent: cure with prolonged/high-dose daptomycin without toxicity (Cunha et al). 2006;35:207-11

Bacterial endocarditis; *see* **Endocarditis, bacterial**

Beds
Subjective assessment of backrest elevation: magnitude of error (Peterlini et al). 2006;35:391-6

Behavior
Internet-based behavioral change and psychosocial care for patients with cardiovascular disease: a review of cardiac disease-specific applications (Kuhl et al). 2006;35:374-82

Benzocaine
When brown and blue make red: a case of acquired methemoglobinemia (Marinella). 2006;35:205-6

Blood pressure
Characteristics of sleep in patients with stable heart failure versus a comparison group (Redeker and Stein). 2006;35:252-61

Body weight changes
Evaluating the reliability of recorded fluid balance to approximate body weight change in patients undergoing cardiac surgery (Eastwood). 2006;35:27-33

Brain abscess
Undiagnosed patent foramen ovale presenting as a cryptogenic brain abscess: case report and review of literature (Khouzam et al). 2006;35:108-11

Bronchiectasis
Does coexistence with bronchiectasis influence intensive care unit outcome in patients with chronic obstructive pulmonary disease? (Gursel). 2006;35:58-65

Bronchoscopy
Tracheal tear and tension pneumothorax complicating bronchoscopy-guided percutaneous tracheostomy (Brander and Takala). 2006;35:144-5

C

Cardiac diseases; *see* **Heart diseases**

Cardiac surgery; *see* **Heart surgery**

Cardiac tamponade
Cardiac tamponade complicating trimodal therapy for malignant mesothelioma (Sawar and Schocken). 2006;35:355-7
Pleural effusion causing cardiac tamponade: report of two cases and review of the literature (Kopterides et al). 2006;35:66-7

Cardiovascular diseases
Exercise and heart rate recovery (MacMillan et al). 2006;35:383-90
Internet-based behavioral change and psychosocial care for patients with cardiovascular disease: a review of cardiac disease-specific applications (Kuhl et al). 2006;35:374-82

Chest tubes
Comparison of two pain-management strategies during chest tube removal: relaxation exercise with opioids and opioids alone (Friesner et al). 2006;35:269-76

Chronic obstructive pulmonary disease; *see* **Pulmonary disease, chronic obstructive**

Cisplatin
Cardiac tamponade complicating trimodal therapy for malignant mesothelioma (Sawar and Schocken). 2006;35:355-7

Congenital heart disease; *see* **Heart defects, congenital**

Congestive heart failure; *see* **Heart failure, congestive**

Conscious sedation
The reliability and validity of a new and simple method to measure sedation levels in intensive care patients: a pilot study (Binnekade et al). 2006;35:137-43

Coping; *see* **Adaptation, psychological**

Coronary angiography
Relationship between provider-based measures of physical function and self-reported health-related quality of life in patients admitted for elective coronary angiography (Ulvik et al). 2006;35:90-100

Coronary artery bypass
Comparison of two pain-management strategies during chest tube removal: relaxation exercise with opioids and opioids alone (Friesner et al). 2006;35:269-76
Family support, living alone, and subjective health of a patient in connection with a coronary artery bypass surgery (Okkonen and Vanhanen). 2006;35:234-44
Impact of a telehealth intervention to augment home health care on functional and recovery outcomes of elderly patients undergoing coronary artery bypass grafting (Barnason et al). 2006;35:225-33
Uncertainty, symptom distress, anxiety, and functional status in pa-

tients awaiting coronary artery bypass surgery (McCormick et al). 2006;35:34-45
Coronary care units
Polymorphic ventricular tachycardia in the coronary care unit (Varriale and Leonardi). 2006;35:283-9
Coronary disease
Changes in patients' illness representations before and after elective percutaneous transluminal coronary angioplasty (Astin and Jones). 2006;35:293-300
A gender perspective on sleeplessness behavior, effects of sleep loss, and coping resources in patients with stable coronary artery disease (Edéll-Gustafsson et al). 2006;35:75-89
Relationship between provider-based measures of physical function and self-reported health-related quality of life in patients admitted for elective coronary angiography (Ulvik et al). 2006;35:90-100
Correspondence; *see* **Letters to the editor**
Cough
Fever of unknown origin: temporal arteritis presenting with persistent cough and elevated serum ferritin levels (Cunha et al). 2006;35:112-6
Craniocerebral trauma
Peaked waves after head injury (Mitchell et al). 2006;35:117-8
Critical care
Critical care nurses' responses to patient photographs displayed at the bedside (Neto et al). 2006;35:198-204
Israeli critical care nurses' attitudes toward physician-assisted dying (Ganz and Musgrave). 2006;35:412-22
Pseudosepsis: rectus sheath hematoma mimicking septic shock (Hamid et al). 2006;35:434-7
Subjective assessment of backrest elevation: magnitude of error (Peterlini et al). 2006;35:391-6
Critical illness
Functional recovery after neuromuscular blockade in mechanically ventilated critically ill patients (Foster and Clark). 2006;35:178-89
Cyanosis
When brown and blue make red: a case of acquired methemoglobinemia (Marinella). 2006;35:205-6

D

Daptomycin
Pacemaker-induced *Staphylococcus aureus* mitral valve acute bacterial endocarditis complicated by persistent bacteremia from a coronary stent: cure with prolonged/high-dose daptomycin without toxicity (Cunha et al). 2006;35:207-11
Device removal
Comparison of two pain-management strategies during chest tube removal: relaxation exercise with opioids and opioids alone (Friesner et al). 2006;35:269-76
Diabetes mellitus
The synergistic effect of heart disease and diabetes on self-management, symptoms, and health status (Deaton et al). 2006;35:315-23
Diastole
Self-care practices in women with diastolic heart failure (Gary). 2006;35:9-19
Doxorubicin
Cardiac tamponade complicating trimodal therapy for malignant mesothelioma (Sawar and Schocken). 2006;35:355-7

E

Echocardiography
Transient arrhythmogenic right ventricular dysplasia (Mitchell et al). 2006;35:430-3
Echocardiography, transesophageal
When brown and blue make red: a case of acquired methemoglobinemia (Marinella). 2006;35:205-6
Elderly patients; *see* **Aged**
Electrocardiography
Acute myocardial infarction with precordial ST segment elevation: where is the culprit? (Brearley et al). 2006;35:427-9
Exercise-induced desaturation and electrocardiogram changes in people with severe lung disease: an exploratory investigation of 25 serial cases (Jones et al). 2006;35:397-404
Isolated atrial infarction (Nikolić). 2006;35:212-3
Peaked waves after head injury (Mitchell et al). 2006;35:117-8
Emergency service, hospital
Predictors of emergency department visit disposition for patients with chronic obstructive pulmonary disease (Parshall and Doherty). 2006;35:342-50
Endocarditis, bacterial
Pacemaker-induced *Staphylococcus aureus* mitral valve acute bacterial endocarditis complicated by persistent bacteremia from a coronary stent: cure with prolonged/high-dose daptomycin without toxicity (Cunha et al). 2006;35:207-11
Ethics, medical
Caring for organ donors: the intensive care unit physicians' view (Sadala et al). 2006;35:190-7
Exercise
Comparison of two pain-management strategies during chest tube removal: relaxation exercise with opioids and opioids alone (Friesner et al). 2006;35:269-76
Exercise and heart rate recovery (MacMillan et al). 2006;35:383-90
Exercise-induced desaturation and electrocardiogram changes in people with severe lung disease: an exploratory investigation of 25 serial cases (Jones et al). 2006;35:397-404

F

Family
The effect of individualized education on the transfer anxiety of patients with myocardial infarction and their families (Tel and Tel). 2006;35:101-7
Family support, living alone, and subjective health of a patient in connection with a coronary artery bypass surgery (Okkonen and Vanhanen). 2006;35:234-44
Females
Self-care practices in women with diastolic heart failure (Gary). 2006;35:9-19
Ferritin
Fever of unknown origin: temporal arteritis presenting with persistent cough and elevated serum ferritin levels (Cunha et al). 2006;35:112-6
Fever of unknown origin due to preleukemia/ myelodysplastic syndrome: the diagnostic importance of monocytosis with elevated serum ferritin levels (Cunha et al). 2006;35:277-82
Fever of unknown origin
Fever of unknown origin: temporal arteritis presenting with persistent cough and elevated serum ferritin levels (Cunha et al). 2006;35:112-6
Fever of unknown origin caused by late-onset rheumatoid arthritis (Cunha et al). 2006;35:70-3
Fever of unknown origin due to preleukemia/ myelodysplastic syndrome: the diagnostic importance of monocytosis with elevated serum ferritin levels (Cunha et al). 2006;35:277-82
Fever of unknown origin (FUO) caused by multiple myeloma: the diagnostic value of the Naprosyn test (Cunha et al). 2006;35:358-62
Fluid balance; *see* **Water-electrolyte balance**
Functional status
Uncertainty, symptom distress, anxiety, and functional status in patients awaiting coronary artery bypass surgery (McCormick et al). 2006;35:34-45

G

Geriatric assessment
Correlates of functional limitations in older Chinese patients with chronic obstructive pulmonary disease in Hong Kong (Lee et al). 2006;35:324-33

H

Head injury; *see* **Craniocerebral trauma**
Health behavior
Self-care practices in women with diastolic heart failure (Gary). 2006;35:9-19
Health information
Internet-based behavioral change and psychosocial care for patients with cardiovascular disease: a review of cardiac disease-specific applications (Kuhl et al). 2006;35:374-82
Health knowledge, attitudes, practice
Public knowledge of heart attack in a Nepalese population survey (Limbu et al). 2006;35:164-9
Health status
Correlates of functional limitations in older Chinese patients with chronic obstructive pulmonary disease in Hong Kong (Lee et al). 2006;35:324-33
Health outcomes of patients undergoing cardiac surgery: repeated measures using Short Form-36 and 15 Dimensions of Quality of Life questionnaire (Elliott et al). 2006;35:245-51

Relation of atrial arrhythmia-related symptoms to health-related quality of life in patients with newly diagnosed atrial fibrillation: a community hospital-based cohort (Kang). 2006;35:170-7
The synergistic effect of heart disease and diabetes on self-management, symptoms, and health status (Deaton et al). 2006;35:315-23

Heart atria
Isolated atrial infarction (Nikolić). 2006;35:212-3

Heart conduction system
A new face of Wenckebach (Rockmann et al). 2006;35:68-9

Heart defects, congenital
Psychosocial morbidity among parents of children with congenital heart disease: a prospective longitudinal study (Lawoko and Soares). 2006;35:301-14

Heart diseases
The New York Heart Association classes and functional status: what are we really measuring? (Miller-Davis et al). 2006;35:217-24
The synergistic effect of heart disease and diabetes on self-management, symptoms, and health status (Deaton et al). 2006;35:315-23

Heart failure, congestive
Characteristics of sleep in patients with stable heart failure versus a comparison group (Redeker and Stein). 2006;35:252-61
Marital status, quality of life, and clinical outcome in patients with heart failure (Luttik et al). 2006;35:3-8
Self-care practices in women with diastolic heart failure (Gary). 2006;35:9-19

Heart neoplasms
Obstructive metastatic malignant melanoma of the heart: imminent pulmonary arterial occlusion caused by right ventricular metastasis with unknown origin of the primary tumor (Basarici et al). 2006;35:351-4

Heart rate
Exercise and heart rate recovery (MacMillan et al). 2006;35:383-90
Predictors of emergency department visit disposition for patients with chronic obstructive pulmonary disease (Parshall and Doherty). 2006;35:342-50

Heart septal defects, atrial
Undiagnosed patent foramen ovale presenting as a cryptogenic brain abscess: case report and review of literature (Khouzam et al). 2006;35:108-11

Heart surgery
Evaluating the reliability of recorded fluid balance to approximate body weight change in patients undergoing cardiac surgery (Eastwood). 2006;35:27-33
Health outcomes of patients undergoing cardiac surgery: repeated measures using Short Form-36 and 15 Dimensions of Quality of Life questionnaire (Elliott et al). 2006;35:245-51

Heart valve diseases
Pacemaker-induced *Staphylococcus aureus* mitral valve acute bacterial endocarditis complicated by persistent bacteremia from a coronary stent: cure with prolonged/high-dose daptomycin without toxicity (Cunha et al). 2006;35:207-11

Hematoma
Pseudosepsis: rectus sheath hematoma mimicking septic shock (Hamid et al). 2006;35:434-7

Hemodynamics
Comparison of the effectiveness of manual and ventilator hyperinflation at different levels of positive end-expiratory pressure in artificially ventilated and intubated intensive care patients (Savian et al). 2006;35:334-41
Manual hyperinflation causes norepinephrine release (Paratz and Lipman). 2006;35:262-8

Hemorrhage
Abciximab and fatal pulmonary hemorrhage (Usman et al). 2006;35:423-6

Home care services
Impact of a telehealth intervention to augment home health care on functional and recovery outcomes of elderly patients undergoing coronary artery bypass grafting (Barnason et al). 2006;35:225-33

Hospitalization
Coping and psychological distress in hospitalized patients with chronic obstructive pulmonary disease (Andenæs et al). 2006;35:46-57

Hospital readmission; *see* **Patient readmission**

Hypertension
Clinical course of acute myocardial infarction in hypertensive patient in Eastern Spain: the PRIMVAC registry (Bertomeu et al). 2006;35:20-6

I

Immunoglobulin fab fragments
Abciximab and fatal pulmonary hemorrhage (Usman et al). 2006;35:423-6

Individualized education; *see* **Patient education**

Intensive care units
Caring for organ donors: the intensive care unit physicians' view (Sadala et al). 2006;35:190-7
Comparison of the effectiveness of manual and ventilator hyperinflation at different levels of positive end-expiratory pressure in artificially ventilated and intubated intensive care patients (Savian et al). 2006;35:334-41
Critical care nurses' responses to patient photographs displayed at the bedside (Neto et al). 2006;35:198-204
Does coexistence with bronchiectasis influence intensive care unit outcome in patients with chronic obstructive pulmonary disease? (Gursel). 2006;35:58-65
The reliability and validity of a new and simple method to measure sedation levels in intensive care patients: a pilot study (Binnekade et al). 2006;35:137-43

Internet
Internet-based behavioral change and psychosocial care for patients with cardiovascular disease: a review of cardiac disease-specific applications (Kuhl et al). 2006;35:374-82

Intraoperative complications
Tracheal tear and tension pneumothorax complicating bronchoscopy-guided percutaneous tracheostomy (Brander and Takala). 2006;35:144-5

Intubation
Comparison of the effectiveness of manual and ventilator hyperinflation at different levels of positive end-expiratory pressure in artificially ventilated and intubated intensive care patients (Savian et al). 2006;35:334-41

L

Language
Content validity and the language of breathing (Michaels). 2006;35:405-11

Length of stay
Does coexistence with bronchiectasis influence intensive care unit outcome in patients with chronic obstructive pulmonary disease? (Gursel). 2006;35:58-65

Letters to the editor
Letters to the editor. 2006;35:214

Literature review; *see* **Review literature**

Lung diseases
Abciximab and fatal pulmonary hemorrhage (Usman et al). 2006;35:423-6

M

Marital status
Marital status, quality of life, and clinical outcome in patients with heart failure (Luttik et al). 2006;35:3-8

Mechanical ventilation; *see* **Respiration, artificial**

Medical errors
Subjective assessment of backrest elevation: magnitude of error (Peterlini et al). 2006;35:391-6

Melanoma
Obstructive metastatic malignant melanoma of the heart: imminent pulmonary arterial occlusion caused by right ventricular metastasis with unknown origin of the primary tumor (Basarici et al). 2006;35:351-4

Mesothelioma
Cardiac tamponade complicating trimodal therapy for malignant mesothelioma (Sawar and Schocken). 2006;35:355-7

Meta-analysis
Nursing intervention and smoking cessation: meta-analysis update (Rice). 2006;35:147-63

Metabolic syndrome X
Risk indicators of metabolic syndrome in young adults: a preliminary investigation on the influence of tobacco smoke exposure and gender (Corwin et al). 2006;35:119-29

Methemoglobinemia
When brown and blue make red: a case of acquired methemoglobinemia (Marinella). 2006;35:205-6

Mitral valve
Pacemaker-induced *Staphylococcus aureus* mitral valve acute bacterial endocarditis complicated by persistent bacteremia from a coronary

stent: cure with prolonged/high-dose daptomycin without toxicity (Cunha et al). 2006;35:207-11
Monocytes
Fever of unknown origin due to preleukemia/ myelodysplastic syndrome: the diagnostic importance of monocytosis with elevated serum ferritin levels (Cunha et al). 2006;35:277-82
Multiple myeloma
Fever of unknown origin (FUO) caused by multiple myeloma: the diagnostic value of the Naprosyn test (Cunha et al). 2006;35:358-62
Myelodysplastic syndromes
Fever of unknown origin due to preleukemia/ myelodysplastic syndrome: the diagnostic importance of monocytosis with elevated serum ferritin levels (Cunha et al). 2006;35:277-82
Myocardial infarction
Abciximab and fatal pulmonary hemorrhage (Usman et al). 2006;35:423-6
Acute myocardial infarction with precordial ST segment elevation: where is the culprit? (Brearley et al). 2006;35:427-9
Clinical course of acute myocardial infarction in hypertensive patient in Eastern Spain: the PRIMVAC registry (Bertomeu et al). 2006;35:20-6
The effect of individualized education on the transfer anxiety of patients with myocardial infarction and their families (Tel and Tel). 2006;35:101-7
Isolated atrial infarction (Nikolić). 2006;35:212-3
Myocardial ischemia
Prevalence of myocardial ischemia during mechanical ventilation and weaning and its effects on weaning success (Frazier et al). 2006;35:363-73
Public knowledge of heart attack in a Nepalese population survey (Limbu et al). 2006;35:164-9

N

Naprosyn; *see* **Naproxen**
Naproxen
Fever of unknown origin (FUO) caused by multiple myeloma: the diagnostic value of the Naprosyn test (Cunha et al). 2006;35:358-62
Narcotics
Comparison of two pain-management strategies during chest tube removal: relaxation exercise with opioids and opioids alone (Friesner et al). 2006;35:269-76
Neoplasm metastasis
Obstructive metastatic malignant melanoma of the heart: imminent pulmonary arterial occlusion caused by right ventricular metastasis with unknown origin of the primary tumor (Basarici et al). 2006;35:351-4
Neoplasms, unknown primary
Obstructive metastatic malignant melanoma of the heart: imminent pulmonary arterial occlusion caused by right ventricular metastasis with unknown origin of the primary tumor (Basarici et al). 2006;35:351-4
Nepal
Public knowledge of heart attack in a Nepalese population survey (Limbu et al). 2006;35:164-9
Neuromuscular blockade
Functional recovery after neuromuscular blockade in mechanically ventilated critically ill patients (Foster and Clark). 2006;35:178-89
Norepinephrine
Manual hyperinflation causes norepinephrine release (Paratz and Lipman). 2006;35:262-8
Nurse-patient relations
Critical care nurses' responses to patient photographs displayed at the bedside (Neto et al). 2006;35:198-204
Nurses
Israeli critical care nurses' attitudes toward physician-assisted dying (Ganz and Musgrave). 2006;35:412-22
Nursing care
Nursing intervention and smoking cessation: meta-analysis update (Rice). 2006;35:147-63

O

Opioids; *see* **Narcotics**
Oral hygiene
Undiagnosed patent foramen ovale presenting as a cryptogenic brain abscess: case report and review of literature (Khouzam et al). 2006;35:108-11
Oxygen consumption
Exercise-induced desaturation and electrocardiogram changes in people with severe lung disease: an exploratory investigation of 25 serial cases (Jones et al). 2006;35:397-404

P

Pacemaker, artificial
Pacemaker-induced *Staphylococcus aureus* mitral valve acute bacterial endocarditis complicated by persistent bacteremia from a coronary stent: cure with prolonged/high-dose daptomycin without toxicity (Cunha et al). 2006;35:207-11
Pain
Comparison of two pain-management strategies during chest tube removal: relaxation exercise with opioids and opioids alone (Friesner et al). 2006;35:269-76
Parents
Psychosocial morbidity among parents of children with congenital heart disease: a prospective longitudinal study (Lawoko and Soares). 2006;35:301-14
Patient care
Changes in patients' illness representations before and after elective percutaneous transluminal coronary angioplasty (Astin and Jones). 2006;35:293-300
The synergistic effect of heart disease and diabetes on self-management, symptoms, and health status (Deaton et al). 2006;35:315-23
Patient education
The effect of individualized education on the transfer anxiety of patients with myocardial infarction and their families (Tel and Tel). 2006;35:101-7
Internet-based behavioral change and psychosocial care for patients with cardiovascular disease: a review of cardiac disease-specific applications (Kuhl et al). 2006;35:374-82
Patient readmission
Marital status, quality of life, and clinical outcome in patients with heart failure (Luttik et al). 2006;35:3-8
Patient transfer
The effect of individualized education on the transfer anxiety of patients with myocardial infarction and their families (Tel and Tel). 2006;35:101-7
Percutaneous dilatational tracheostomy; *see* **Tracheostomy**
Photography
Critical care nurses' responses to patient photographs displayed at the bedside (Neto et al). 2006;35:198-204
Physician's practice patterns
Caring for organ donors: the intensive care unit physicians' view (Sadala et al). 2006;35:190-7
Pleural effusion
Pleural effusion causing cardiac tamponade: report of two cases and review of the literature (Kopterides et al). 2006;35:66-7
Pneumonectomy
Cardiac tamponade complicating trimodal therapy for malignant mesothelioma (Sawar and Schocken). 2006;35:355-7
Pneumothorax
Tracheal tear and tension pneumothorax complicating bronchoscopy-guided percutaneous tracheostomy (Brander and Takala). 2006;35:144-5
Positive-pressure respiration
Comparison of the effectiveness of manual and ventilator hyperinflation at different levels of positive end-expiratory pressure in artificially ventilated and intubated intensive care patients (Savian et al). 2006;35:334-41
Preleukemia
Fever of unknown origin due to preleukemia/ myelodysplastic syndrome: the diagnostic importance of monocytosis with elevated serum ferritin levels (Cunha et al). 2006;35:277-82
Prevalence
Coping and psychological distress in hospitalized patients with chronic obstructive pulmonary disease (Andenæs et al). 2006;35:46-57
Professional-family relations
Caring for organ donors: the intensive care unit physicians' view (Sadala et al). 2006;35:190-7
Prosthesis-related infections
Pacemaker-induced *Staphylococcus aureus* mitral valve acute bacterial endocarditis complicated by persistent bacteremia from a coronary stent: cure with prolonged/high-dose daptomycin without toxicity (Cunha et al). 2006;35:207-11
Psychological distress; *see* **Stress, psychological**
PTCA; *see* **Angioplasty, transluminal, percutaneous coronary**
Pulmonary disease, chronic obstructive
Coping and psychological distress in hospitalized patients with

chronic obstructive pulmonary disease (Andenæs et al). 2006;35:46-57
Correlates of functional limitations in older Chinese patients with chronic obstructive pulmonary disease in Hong Kong (Lee et al). 2006;35:324-33
Does coexistence with bronchiectasis influence intensive care unit outcome in patients with chronic obstructive pulmonary disease? (Gursel). 2006;35:58-65
Exercise-induced desaturation and electrocardiogram changes in people with severe lung disease: an exploratory investigation of 25 serial cases (Jones et al). 2006;35:397-404
Predictors of emergency department visit disposition for patients with chronic obstructive pulmonary disease (Parshall and Doherty). 2006;35:342-50

Q

Quality of life
Health outcomes of patients undergoing cardiac surgery: repeated measures using Short Form-36 and 15 Dimensions of Quality of Life questionnaire (Elliott et al). 2006;35:245-51
Marital status, quality of life, and clinical outcome in patients with heart failure (Luttik et al). 2006;35:3-8
The New York Heart Association classes and functional status: what are we really measuring? (Miller-Davis et al). 2006;35:217-24
Relation of atrial arrhythmia-related symptoms to health-related quality of life in patients with newly diagnosed atrial fibrillation: a community hospital-based cohort (Kang). 2006;35:170-7
Relationship between provider-based measures of physical function and self-reported health-related quality of life in patients admitted for elective coronary angiography (Ulvik et al). 2006;35:90-100
Questionnaires
Health outcomes of patients undergoing cardiac surgery: repeated measures using Short Form-36 and 15 Dimensions of Quality of Life questionnaire (Elliott et al). 2006;35:245-51

R

Radiotherapy
Cardiac tamponade complicating trimodal therapy for malignant mesothelioma (Sawar and Schocken). 2006;35:355-7
Recovery of function
Functional recovery after neuromuscular blockade in mechanically ventilated critically ill patients (Foster and Clark). 2006;35:178-89
Rectal diseases
Pseudosepsis: rectus sheath hematoma mimicking septic shock (Hamid et al). 2006;35:434-7
Rehabilitation
Gender difference in coping strategies among patients enrolled in an inpatient rehabilitation program (Ninot et al). 2006;35:130-6
Relaxation
Comparison of two pain-management strategies during chest tube removal: relaxation exercise with opioids and opioids alone (Friesner et al). 2006;35:269-76
Reproducibility of results
Content validity and the language of breathing (Michaels). 2006;35:405-11
Evaluating the reliability of recorded fluid balance to approximate body weight change in patients undergoing cardiac surgery (Eastwood). 2006;35:27-33
The reliability and validity of a new and simple method to measure sedation levels in intensive care patients: a pilot study (Binnekade et al). 2006;35:137-43
Respiration
Content validity and the language of breathing (Michaels). 2006;35:405-11
Respiration, artificial
Comparison of the effectiveness of manual and ventilator hyperinflation at different levels of positive end-expiratory pressure in artificially ventilated and intubated intensive care patients (Savian et al). 2006;35:334-41
Functional recovery after neuromuscular blockade in mechanically ventilated critically ill patients (Foster and Clark). 2006;35:178-89
Manual hyperinflation causes norepinephrine release (Paratz and Lipman). 2006;35:262-8
Prevalence of myocardial ischemia during mechanical ventilation and weaning and its effects on weaning success (Frazier et al). 2006;35:363-73
Respiratory insufficiency
Manual hyperinflation causes norepinephrine release (Paratz and Lipman). 2006;35:262-8
Review literature
Pleural effusion causing cardiac tamponade: report of two cases and review of the literature (Kopterides et al). 2006;35:66-7
Undiagnosed patent foramen ovale presenting as a cryptogenic brain abscess: case report and review of literature (Khouzam et al). 2006;35:108-11
Rheumatoid arthritis
Fever of unknown origin caused by late-onset rheumatoid arthritis (Cunha et al). 2006;35:70-3
Rheumatoid factor
Fever of unknown origin caused by late-onset rheumatoid arthritis (Cunha et al). 2006;35:70-3
Risk factors
Risk indicators of metabolic syndrome in young adults: a preliminary investigation on the influence of tobacco smoke exposure and gender (Corwin et al). 2006;35:119-29

S

Self care
Self-care practices in women with diastolic heart failure (Gary). 2006;35:9-19
Sepsis
Pseudosepsis: rectus sheath hematoma mimicking septic shock (Hamid et al). 2006;35:434-7
Severity of illness index
The New York Heart Association classes and functional status: what are we really measuring? (Miller-Davis et al). 2006;35:217-24
Sex factors
Gender difference in coping strategies among patients enrolled in an inpatient rehabilitation program (Ninot et al). 2006;35:130-6
A gender perspective on sleeplessness behavior, effects of sleep loss, and coping resources in patients with stable coronary artery disease (Edéll-Gustafsson et al). 2006;35:75-89
Risk indicators of metabolic syndrome in young adults: a preliminary investigation on the influence of tobacco smoke exposure and gender (Corwin et al). 2006;35:119-29
Shock, cardiogenic
Abciximab and fatal pulmonary hemorrhage (Usman et al). 2006;35:423-6
Shock, septic
Pseudosepsis: rectus sheath hematoma mimicking septic shock (Hamid et al). 2006;35:434-7
Sleep disorders
Characteristics of sleep in patients with stable heart failure versus a comparison group (Redeker and Stein). 2006;35:252-61
Sleep initiation and maintenance disorders
A gender perspective on sleeplessness behavior, effects of sleep loss, and coping resources in patients with stable coronary artery disease (Edéll-Gustafsson et al). 2006;35:75-89
Smoking
Risk indicators of metabolic syndrome in young adults: a preliminary investigation on the influence of tobacco smoke exposure and gender (Corwin et al). 2006;35:119-29
Smoking cessation
Nursing intervention and smoking cessation: meta-analysis update (Rice). 2006;35:147-63
Social support
Family support, living alone, and subjective health of a patient in connection with a coronary artery bypass surgery (Okkonen and Vanhanen). 2006;35:234-44
Internet-based behavioral change and psychosocial care for patients with cardiovascular disease: a review of cardiac disease-specific applications (Kuhl et al). 2006;35:374-82
Societies, medical
The New York Heart Association classes and functional status: what are we really measuring? (Miller-Davis et al). 2006;35:217-24
Staphylococcus aureus
Pacemaker-induced *Staphylococcus aureus* mitral valve acute bacterial endocarditis complicated by persistent bacteremia from a coronary stent: cure with prolonged/high-dose daptomycin without toxicity (Cunha et al). 2006;35:207-11
Stents
Pacemaker-induced *Staphylococcus aureus* mitral valve acute bacterial endocarditis complicated by persistent bacteremia from a coronary

stent: cure with prolonged/high-dose daptomycin without toxicity (Cunha et al). 2006;35:207-11

Stress, psychological

Coping and psychological distress in hospitalized patients with chronic obstructive pulmonary disease (Andenæs et al). 2006;35:46-57

Psychosocial morbidity among parents of children with congenital heart disease: a prospective longitudinal study (Lawoko and Soares). 2006;35:301-14

Uncertainty, symptom distress, anxiety, and functional status in patients awaiting coronary artery bypass surgery (McCormick et al). 2006;35:34-45

ST segment elevation: *see* **Electrocardiography**

Suicide, assisted

Israeli critical care nurses' attitudes toward physician-assisted dying (Ganz and Musgrave). 2006;35:412-22

Supine position

Subjective assessment of backrest elevation: magnitude of error (Peterlini et al). 2006;35:391-6

T

Tachycardia, ventricular

Polymorphic ventricular tachycardia in the coronary care unit (Varriale and Leonardi). 2006;35:283-9

Telemedicine

Impact of a telehealth intervention to augment home health care on functional and recovery outcomes of elderly patients undergoing coronary artery bypass grafting (Barnason et al). 2006;35:225-33

Temporal arteritis

Fever of unknown origin: temporal arteritis presenting with persistent cough and elevated serum ferritin levels (Cunha et al). 2006;35:112-6

Tissue donors

Caring for organ donors: the intensive care unit physicians' view (Sadala et al). 2006;35:190-7

Tracheal diseases

Tracheal tear and tension pneumothorax complicating bronchoscopy-guided percutaneous tracheostomy (Brander and Takala). 2006;35:144-5

Tracheostomy

Tracheal tear and tension pneumothorax complicating bronchoscopy-guided percutaneous tracheostomy (Brander and Takala). 2006;35:144-5

U

Uncertainty

Uncertainty, symptom distress, anxiety, and functional status in patients awaiting coronary artery bypass surgery (McCormick et al). 2006;35:34-45

V

Ventilation

The reliability and validity of a new and simple method to measure sedation levels in intensive care patients: a pilot study (Binnekade et al). 2006;35:137-43

Ventilator weaning

Prevalence of myocardial ischemia during mechanical ventilation and weaning and its effects on weaning success (Frazier et al). 2006;35:363-73

Ventricular ectopic beats: *see* **Ventricular premature complexes**

Ventricular fibrillation

Clinical course of acute myocardial infarction in hypertensive patient in Eastern Spain: the PRIMVAC registry (Bertomeu et al). 2006;35:20-6

Ventricular function

The New York Heart Association classes and functional status: what are we really measuring? (Miller-Davis et al). 2006;35:217-24

Ventricular outflow obstruction

Obstructive metastatic malignant melanoma of the heart: imminent pulmonary arterial occlusion caused by right ventricular metastasis with unknown origin of the primary tumor (Basarici et al). 2006;35:351-4

Ventricular premature complexes

A new face of Wenckebach (Rockmann et al). 2006;35:68-9

Ventricular tachycardia: *see* **Tachycardia, ventricular**

W

Water-electrolyte balance

Evaluating the reliability of recorded fluid balance to approximate body weight change in patients undergoing cardiac surgery (Eastwood). 2006;35:27-33

Women: *see* **Females**